

PRECISION

QUALITY

RELIABILITY



EURO VFFS RANGE

VERTICAL FORM FILL & SEAL



www.cliftonpackaging.com

Clifton Packaging Group are specialist suppliers of complete turnkey packaging lines for Automatic Bag Filling and Sealing.

Our Euro VFFS Range can be integrated into your production line along with our wide variety of weighing and filling equipment.

Options:

- Servo or Pneumatic Horizontal Seal Jaws
- Thermal Transfer Printer
- Horizontal Jaw with Euroslot
- Square Bottom Device
- Static Eliminator
- Gas flush system
- Impulse Seal Jaws




Easy Access to Horizontal Jaw Elements



Thermal Transfer Printer



Pneumatic or Servo Horizontal Jaw Close



Servo Belt Film Drive



Reel Shaft with Air Expanders



Electric Cabinet



EURO VFFS 80

Entry level vertical form, fill and seal machine for small pillow packs



Pillow Pack

Features

- Stainless steel construction
- Film drive belts driven by servo motor
- User friendly colour touch screen
- Small foot print



EURO VFFS 100

Entry level vertical form, fill and seal machine with reciprocating horizontal Jaw for increased speeds



Pillow Pack

Features

- Stainless steel construction
- Film drive belts driven by servo motor
- User friendly colour touch screen

Bag Type Pillow
Bag Size Min 65mm (W) x 80mm (L) Max 110mm (W) x 200mm (L)
Speed 50 packs / min (depending on product and pack size)
Maximum Reel Width 250mm
Machine Dimension 1000mm (W) x 935mm (D) x 1200mm (H)
Air Consumption 6Kg / cm- 0.25 / min
Power Supply 3 phases, 380V- 415V, 50-60 HZ
Voltage Variation 10%
Installed Power 6KW
Net Weight (Kilos) 450

Bag Type Pillow
Bag Size Min 65mm (W) x 80mm (L) Max 110mm (W) x 200mm (L)
Speed 80 packs / min (depending on product and pack size)
Maximum Reel Width 250mm
Machine Dimension 1150mm (W) wide x 935mm (D) x 1260mm (H)
Air Consumption 6Kg / cm- 0.25 / min
Power Supply 3 phases, 380V- 415V, 50-60 HZ
Voltage Variation 10%
Installed Power 6KW
Net Weight (Kilos) 450



EURO VFFS 200

Economic vertical form, fill and seal machine for medium sized pillow packs



Pillow Pack



Gusseted Pack

Features

- Stainless steel construction
- Film drive belts driven by servo motor
- User friendly colour touch screen



EURO VFFS 300

Heavy duty vertical form, fill and seal machine for larger sized pouches



Pillow Pack



Gusseted Pack

Features

- Stainless steel construction
- Film drive belts driven by servo motor
- User friendly colour touch screen

Bag Type

Pillow or gusset

Bag Size

Min 70mm (W) x 100mm (L) Max 210mm (W) x 340mm (L)

Speed

70 packs / min (depending on product and pack size)

Maximum Reel Width

450mm

Machine Dimension

1160mm (W) x 1350mm (D) x 1475mm (H)

Air Consumption

6Kg / cm- 0.25 / min

Power Supply

3 phases, 380V- 415V, 50-60 HZ

Voltage Variation

10%

Installed Power

6KW

Net Weight (Kilos)

600

Bag Type

Pillow or gusset

Bag Size

Min 70mm (W) x 100mm (L) Max 300mm (W) x 450mm (L)

Speed

30/40 packs / min (depending on product and pack size)

Maximum Reel Width

650mm

Machine Dimension

1280mm (W) x 1478mm (D) x 1745mm (H)

Air Consumption

6Kg / cm- 0.25 / min

Power Supply

3 phases, 380V- 415V, 50-60 HZ

Voltage Variation

10%

Installed Power

8KW

Net Weight (Kilos)

800